




# Office Booth

3.5' x 3.5' | Single-Wall Isolation

### Office Booth (3.5' x 3.5') | Single-Wall Isolation



Note: Exterior Dimensions 1 & 2 do not include ventilation ducting which protrudes an additional 5 1/2" (13.97 cm) off of one or more exterior walls, depending on unit size and configuration chosen. Exterior height is increased by 5" (12.70 cm) if an optional Caster Plate is installed.

224 cm

112 cm

112 cm

203 cm

102 cm

102 cm

251 kg

Note: Interior Dimensions 1 & 2 do not include 2" (5.08 cm) thick acoustical foam that attaches and parially covers the interior walls.


#### Wall Construction

Thickness:	3"	7.62 cm	Total Thickness	Weight:	3.2 lbs/sq. ft.
	1"	2.54 cm	MDF Barrier		15.66 kg/sq. mtr.
	2"	5.08 cm	Detachable Foam		

#### Door Window Design

Thickness:	3/4"	19.05 mm	Total Thickness	Size:	12" x 30"
	1/4"	6.35 mm	Laminated Safety Glass		30.48 cm x 76.20 cm
	1/4"	6.35 mm	Air		
	1/4"	6.35 mm	Laminated Safety Glass		

# Office Booth (3.5' x 3.5') | Single-Wall Isolation





# All 40" wall components are interchangeable:

- 40" Standard solid wall
- 40" Standard wall with window
- 40" Standard wall with ventilation
- 40" Standard wall with door

\*The ventilation system will protrude 5.5" on the exterior. Please allow 6", as you don't want any WhisperRoom components touching your host room walls.

\*The door swing is 24" and will swing outward from the WhisperRoom

# Office Booth (3.5' x 3.5') | Single-Wall Isolation

#### Basic Features (Included in base price)



Acoustical Foam Sheets (2)

18" LED Lights (1)

**5-Year Warranty** 

#### Optional Features (Included in base price)

