



WhisperRoom INC.™
SOUND ISOLATION ENCLOSURES



Voice Over Deluxe Package

4' X 4' | Double-Wall Isolation

Voice Over Deluxe Package (4' x 4') | Double-Wall Isolation



Exterior Dimensions

| | | |
|--------------|-------|--------|
| Height: | 7' 1" | 216 cm |
| Dimension 1: | 4' 2" | 127 cm |
| Dimension 2: | 4' 2" | 127 cm |

Interior Dimensions

| | | |
|--------------|---------|--------|
| Height: | 6' 8" | 203 cm |
| Dimension 1: | 3' 5.5" | 105 cm |
| Dimension 2: | 3' 5.5" | 105 cm |

Assembly Weight

| | | |
|---------|----------|--------|
| Weight: | 1170 lbs | 530 kg |
|---------|----------|--------|

Assembly Time

Approximately 3 hours

Note: Exterior Dimensions 1 & 2 do not include ventilation ducting which protrudes an additional 5 1/2" (13.97 cm) off of one or more exterior walls, depending on unit size and configuration chosen. Exterior height is increased by 5" (12.70 cm) if an optional Caster Plate is installed.

Note: Interior Dimensions 1 & 2 do not include 2" (5.08 cm) thick acoustical foam that attaches and partially covers the interior walls.

Wall Construction


| | | | | |
|-------------------|--------|----------|------------------------|--------------------------------|
| Thickness: | 5 1/4" | 13.34 cm | Total Thickness | Weight: 6.5 lbs/sq. ft. |
| | 1" | 2.54 cm | MDF Barrier | 31.80 kg/sq. mtr. |
| | 1 1/4" | 3.18 cm | Air/Foam | |
| | 1" | 2.54 cm | MDF Barrier | |
| | 2" | 5.08 cm | Detachable Foam | |

Door Window Design

| | | | | |
|-------------------|--------|---------|------------------------|------------------------|
| Thickness: | 3/4" | 7.94 cm | Total Thickness | Size: 16" x 30" |
| | 1/4" | 6.35 mm | Laminated Safety Glass | 40.64 cm x 76.20 cm |
| | 1/4" | 6.35 mm | Air | |
| | 1/4" | 6.35 mm | Laminated Safety Glass | |
| | 1 5/8" | 4.13 cm | Laminated Safety Glass | |
| | 1/4" | 6.35 mm | Laminated Safety Glass | |
| | 1/4" | 6.35 mm | Air | |
| | 1/4" | 6.35 mm | Laminated Safety Glass | |

Voice Over Deluxe Package (4' x 4') | Double-Wall Isolation

Top-down represents typical configuration



All 46" Standard and 41.5" IEP wall components are interchangeable:


- 46" Standard & 41.5" IEP solid wall
- 46" Standard & 41.5" IEP wall w/window
- 46" Standard & 41.5" IEP wall w/vent.
- 46" Standard & 41.5" IEP wall with door

*The ventilation system will protrude 5.5" on the exterior. Please allow 6", as you don't want any WhisperRoom components touching your host room walls.

*The door swing is 30" and will swing outward from the WhisperRoom

Voice Over Deluxe Package (4' x 4') | Double-Wall Isolation

Basic Features (Included in base price)




Ventilation Systems (1)



16" x 30" Door Window




Cable Passages (2)



Acoustical Foam Sheets (3)



18" LED Lights (1)



5-Year Warranty


Optional Features (Included in base price)



Office Desk



Exterior Fan Silencer



Studio Light



Acoustic Package & Bass Traps (2)



Ventilation Silencing System